



**ANNE  
ARUNDEL  
COUNTY**

M A R Y L A N D

**STANDARD VEGETATION  
MANAGEMENT PLAN**

For proposed removal of existing natural vegetation  
in the Critical Area; recorded Forest Conservation  
Easements or within Bog Protection areas

add Ailanthus 8-4-22  
2022-04

Department of Inspections & Permits  
Forestry Program  
2664 Riva Road, P.O. Box 6675  
Annapolis, Maryland 21401  
Ph:(410)222-7441 F:(410)222-7752  
Revised Oct. 2016

Owner Name: Bay Ridge Civic Association  
Mailing Address: 80 East Lake Drive  
City: Annapolis State: MD Zip: 21403  
Telephone: 240-882-7605 FAX: N/A

Site Information (if same as mailing address list same)  
Site Address: Bay & River Drive, CBF to Sands Ave  
City: Annapolis State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Subdivision Name: Bay Ridge  
Tax Map: 57, Block: 19, Parcel: 207  
Tax Account #: 02 - 04700 - 525651

E-Mail Address: graceschneider@comcast.net

Is the proposed work within 100 feet of tidal waters, wetlands, a tributary stream to those resources and/or adjoining steep slopes? Yes  No

Is the proposed work in the Critical Area; but outside the 100-foot buffer? Yes  No

Is the proposed work outside the Critical Area; but within a Forest Conservation Easement? Yes  No

Do any Subdivision Plat notes, community restrictions or Utility Easements affect your property? Yes  No   
(If yes, please describe in the narrative description section.)

Active Permit Application Information (Note: Projects with active building and/or grading permits may be rejected)

Building Permit #: N/A

Grading Permit#: N/A

**PROPOSED WORK (Check and Complete Information as Appropriate)**

This plan is for the removal of individual trees.

Number of trees to be removed

Have trees been marked for field review? Yes  No

This plan is for the pruning of individual trees

Number of trees to be pruned

Have trees been marked for field review? Yes  No

This plan is for the removal of woody vegetation and eradication of the following invasive vegetation:

Poison Ivy

Greenbriar

Grapevine

Phragmites

Japanese honeysuckle

Asiatic Bittersweet

English Ivy

Bamboo

Other (list):

This plan is to provide a non-structural access path (less than 6' width) Repair to existing paths

**REQUIREMENTS**

**Plan:** Attach a copy of a survey of the site that accurately reflects where individual trees are to be removed or pruned. In lieu of a survey plan, provide a sketch drawing in the space indicated and showing the above information. Be sure to include structures, utilities, 100-foot buffer, tidal and non-tidal wetlands, steep slopes, shoreline, woods line, limits of disturbance, replanting types and location and any other special features or sensitive areas.

**Narrative:** Describe the existing conditions and proposed work to be accomplished, amount of disturbed area, indicate mitigation measures, replanting or enhancement work, number and species of plants to be installed, when the work will be done. If the work is to be phased, indicate scheduling.

**Photographs:** Submission of photographic documentation is strongly encouraged. Submit a panoramic view of the buffer area to be covered by this management plan in sufficient detail to clearly distinguish the canopy layer, understory layer and shrub layer. For vine control, diseased, dead or declining trees, or other problems, include a representative photograph of those conditions. This is particularly important when requesting emergency approvals.

**STANDARDS**

Revised Oct. 2016

1. Topping of trees is **not permitted**, only pruning using proper horticultural practices
2. Extraction of root systems, including root systems of invasive vines, **cannot be approved by this Vegetation Management Plan**. Separate Grading approval must be secured in cases requiring earth disturbance.
3. Access to the water/pier must be non-structural and shall be flagged in the field
4. Trees and vegetation removed must be replaced with native plants.
5. Any required State and federal permits shall be obtained prior to approval of this plan
6. Scope of work may require a separate Forestation Agreement, planting plan and security be posted.
7. For inspection purposes, the approved **Vegetation Management Plan must be available on-site** when approved work is being performed.

**OWNER CERTIFICATION (This form must be signed by property owner)**

I/we certify these statements to be true and accurate and that any trees or vegetation to be removed are on my property. I/we hereby grant Anne Arundel County officials permission to enter the subject property for inspection of this Vegetation Management Plan during normal business hours and within six months the date of the expiration. I/we understand failure to conform to approval condition(s) of this plan, including mitigation (replanting) requirements; or to comply with lawful directive(s) to abate violations which arise from work undertaken contrary to this plan, may be cause for future enforcement action(s) to remedy said violations.

Property Owner Signature *[Signature]* - BRCA President Date 10/20/21

Submit this application, plan, narrative, and any photographic documentation to:

**Mail or Hand Deliver:**  
Anne Arundel County  
Department of Inspections and Permits  
Forestry Program / 2<sup>nd</sup> Floor  
P.O. Box 6675, MS 6201  
Annapolis, MD 21401

**FAX or E-mail:**  
Fax: (410) 222-7752  
E-mail: [ipjann37@aacounty.org](mailto:ipjann37@aacounty.org)

**INSPECTION / AUTHORIZATION NOTES (to be completed by County representative)**

Name of Reviewer: *[Signature]* Date of Field Inspection (if required) 2-11-22

Was a Standard Grading Plan approved as part of this VMP approval? Yes  No

**Mitigation Requirements:**

2 Number of trees to be planted; or \_\_\_\_\_ square feet reforested

\_\_\_\_\_ Number of other plants to be installed

Last date for planting requirement to be met: Date 2-11-23

Security Posted? Yes  No  Amount \_\_\_\_\_

This plan is approved as of 2-11-22 Expiration Date 2-11-23

Signature of authorized County official *[Signature]*  
For further information please call (410) 222-7441 or visit [www.aacounty.org](http://www.aacounty.org), IP

8-5-22 - Ok to cut & spot spray trees of heaven along River Dr. Spots not more than 500 SF combined + 10x10 patch of Phrag

*(Fill of erosive areas to be addressed by separate SGP.)*

**Reviewer Notes**

*This approval is to spot spray invasive species on slopes at Bay Dr and plant Spartina along River Dr. Ok to cut to ground level 1 declining ivy covered oak and 1 declining ivy covered locust at Bay/Mayo Dr Plant 2 native canopy trees in same general area.*



SANDS AVE

E LAKE DR  
BAINBRIDGE AVE

7 Tree of Heaven

104 River Drive  
5 Tree of Heaven

92 River Drive  
7 Tree of Heaven  
3 Persian Pear

Seedlings of Tree of Heaven

56 River Drive  
10' X 10' patch of  
Puragmites





Bay Ridge - River Drive - Removal of tree of heavenly Persian Pear & Phragmites - generally across from addresses listed below.

SUPPORT X Q

70 E.L.A.



